

TECHNICAL DATA

MANUFACTURING PROCESS:	Tufted 5/32"
SURFACE COMPOSITION	Cut Pile
PILE MATERIAL	75% Polyester 25% Viscose
BACKING	100% Nitrile Rubber
PILE WEIGHT:	Approx. +/- 900g/m2
PILE HEIGHT:	Approx. +/-6mm
TOTAL WEIGHT:	Approx. +/- 2.850 g/m2
TOTAL HEIGHT:	Approx. +/-7mm (when washed)
PRIMARY BACKING:	100% Spun bonded Lutradur™ Polyester
SECONDARY BACKING	100% Nitrile Rubber, Contour backing moulded
WASHING TEMPERATURE	60°C
COLOURS	Black/White, Brown/ Black, Red/Black, Green/Black, Beige/White, Brown/ White
SIZES	40x60, 60x85, 85x120, 85x150, 120x180, 120x240 specials on request
AREAS OF USE	Contract Low Traffic
DIMENSION VARIATIONS	+/- 2%

****APPLICATION:**

POLYTEX is the original rain mat designed to ensure that rain is absorbed within the mat and not carried onto the foyer floor.

Manufactured from Viscose, a substance similar to blotting paper, it can absorb 7 liters of water per square meter. Polyester fiber is also used to create the brushing action which stops heavy dirt in its tracks. The combination of both yarns provide the ultimate protection for your entrance and the rest of your premises from both shoeborne moisture and dirt which otherwise would be carried into the building.

Polytex also has an impermeable Nitrile rubber backing that ensures the moisture absorbed by the fibers stays within the mat and cannot be forced through onto your entrance flooring or carpets. This also means that the mat is fully Laundry ready and washable.

Polytex is the ideal moisture dust control mat for Medium pedestrian traffic areas to keep internal floors clean and dry, saving you cleaning time and money on floor refurbishment. This mat can be cleaned and dries easily.

**** LAYING INSTRUCTIONS**

LOOSE

Mats covering small areas and runners can be easily laid loose due to heavy anti-slip PVC backing

*** SECONDARY BACKING:**

100% Nitrile Rubber, Contour Moulded™ Oil / Chemical Resistant